


Vertical section



- North facade Nr. 17, 18, 19, 20;
- West facade Nr. 23;
- South view of North wing Nr. 10, 11, 12, 13, 14, 15, 16, 17

Window latch, 2 pcs for one sash-

Adler Histo
NCS S 1502-Y

Bricks

Plaster

Kawo Elastokitt tinted in
NCS S 1502-Y, untreated

Schlegel QL-3110, 12 mm
RAL 9003

Adler Histo, handbrushed
NCS S 1502-Y

—Historical drawn glass 4 mm

4/8/4 glass packet with RAL7035 thermo list:
4 mm glass
8 mm Argon pocket
4 mm glass with soft coating

Low emission soft coating-

Water collection

Applies for:

- West facade Nr. 2-6, 8-19, 21-25, 30-32;
- North facade Nr. 1-5, 7-14, 15-27;
- South view of North wing Nr. 1-7, 9-17;
- North view of South wing Nr. 1, 3-8, 11-18

Additional

Additional
Smoke ventilation:

- *West facade Nr. 30, 31, 32;*

• West facade
Fire escape:

- *West facade*

- West facade Nr. 2, 14;
- Floor division:
- North facade Nr. 17, 18, 19, 20;
- West facade Nr. 23;
- South view of North wing Nr. 10, 11, 12, 13, 14, 15, 16, 17

<i>Building</i>		
<i>Drawing</i>		
<i>Project</i>	<i>Restoration of the Ivenack Palace ensemble</i>	
<i>Client</i>	<i>Retzow Immobilien GmbH & Co. KG</i>	
<i>Scale</i>	<i>1 : 2</i>	
		<i>10.05.2025</i>